



HUMA FOUNTAINS & POOLS

ALL TYPE OF LED UNDERWATER
LIGHTS MANUFACTURER

CONTACT NO.: 8888444842

CONTENTS

	<u>PG NO.</u>
➔ <u>LED SPOT LIGHT (COB)</u>	3
➔ <u>SPOT FOUNTAIN LIGHT (FULL SS)</u>	4
➔ <u>NOZZLE FOUNTAIN LIGHT (THREAD)</u>	17
➔ <u>NOZZLE FOUNTAIN LIGHT (ADJUSTABLE)</u>	23
➔ <u>LED WALLWASHER LIGHT</u>	27
➔ <u>FOUNTAIN EQUIPMENTS</u>	28

COB LED SS SPOT FOUNTAIN LIGHT



MODEL NO.:	HF038
BODY :	SS 304/316
DIMENSION :	BACK DIA - 2.2 INCH OUTER DIA - 3.5 INCH
LENS :	PC GLASS
LED CHIP :	CREE
WARRANTY :	2 YEARS OF WARRANTY
WATTAGE :	10 WATT
MOUNTING :	STAND MOUNTED SYSTEM
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°
WIRE :	POLY CAB (1 MTR WIRE)
COLOUR :	WW/CW/RGB/ RED/ BLUE/ GREEN
PROTECTION CLASS :	IP 67
PRICE :	SINGLE COLOUR – 1600 RGB - 1750

SS SPOT FOUNTAIN LIGHT



MODEL NO.:	HF039	
BODY :	SS 304/316	
DIMENSION :	BACK DIA - 2.2 INCH OUTER DIA - 3.5 INCH	
LENS :	PC GLASS	
LED CHIP :	CREE / EDISON	
WARRANTY :	2 YEARS OF WARRANTY	
WATTAGE :	3 WATT / 9 WATT	
MOUNTING :	STAND MOUNTED SYSTEM	
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°, 90°	
WIRE :	POLY CAB (1 MTR WIRE)	
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN	
PROTECTION CLASS :	IP 68	
PRICE :	SINGLE COLOUR	RGB
	3 WATT	1450
	9 WATT	1600
		1550
		1800

SS SPOT FOUNTAIN LIGHT



MODEL NO.:	HF040		
BODY :	SS 304/316		
DIMENSION :	BACK DIA – 85 MM / OUTER DIA – 110 MM LENGTH STEP 1- 110 MM / LENGTH STEP 2 – 85MM		
LENS :	PC GLASS		
LED CHIP :	CREE / EDISON		
WARRANTY :	2 YEARS OF WARRANTY		
WATTAGE :	6 WATT / 18 WATT		
MOUNTING :	STAND MOUNTED SYSTEM		
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°,60°, 90°		
WIRE :	POLY CAB (1 MTR WIRE)		
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN		
PROTECTION CLASS :	IP 68		
PRICE :		SINGLE COLOUR	RGB
	6 WATT	2100	2300
	18 WATT	2400	2600

SS SPOT FOUNTAIN LIGHT



MODEL NO.:	HF041	
BODY :	SS 304/316	
DIMENSION :	BACK DIA – 85 MM / OUTER DIA – 140 MM LENGTH STEP 1- 110 MM / LENGTH STEP 2 – 85MM	
LENS :	PC GLASS	
LED CHIP :	CREE / EDISON	
WARRANTY :	2 YEARS OF WARRANTY	
WATTAGE :	9 WATT / 27 WATT	
MOUNTING :	STAND MOUNTED SYSTEM	
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°, 90°	
WIRE :	POLY CAB (1 MTR WIRE)	
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN	
PROTECTION CLASS :	IP 68	
PRICE :	SINGLE COLOUR	RGB
	9 WATT	2300
	27 WATT	2500
		2600
		2800


SS SPOT FOUNTAIN LIGHT



MODEL NO.:	HF042		
BODY :	SS 304/316		
DIMENSION :	BACK DIA – 85 MM / OUTER DIA – 140 MM LENGTH STEP 1- 110 MM / LENGTH STEP 2 – 85MM		
LENS :	PC GLASS		
LED CHIP :	CREE / EDISON		
WARRANTY :	2 YEARS OF WARRANTY		
WATTAGE :	12 WATT / 36 WATT		
MOUNTING :	STAND MOUNTED SYSTEM		
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°, 90°		
WIRE :	POLY CAB (1 MTR WIRE)		
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN		
PROTECTION CLASS :	IP 68		
PRICE :		SINGLE COLOUR	RGB
	12 WATT	2550	2750
	36 WATT	2900	3150

SPOT FOUNTAIN STAND LIGHT

MODEL NO.:	HF043	
BODY :	SS 304/316/ ALUMINIUM (FLATE MODEL)	
DIMENSION :	DIA – 3" THICKNESS – 22 MM	
LENS :	PC GLASS	
LED CHIP :	POWER LED EDISON	
WARRANTY :	2 YEARS OF WARRANTY	
WATTAGE :	3 WATT / 9 WATT	
MOUNTING :	STAND MOUNTED SYSTEM	
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°,60°	
WIRE :	POLY CAB (1 MTR WIRE)	
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN	
PROTECTION CLASS :	IP 68	
PRICE :	SINGLE COLOUR	RGB
	3 WATT	850
	9 WATT	1000
		950
		1350



SPOT FOUNTAIN STAND LIGHT

MODEL NO.:	HF044		
BODY :	SS 304/316/ ALUMINIUM (FLATE MODEL)		
DIMENSION :	DIA – 4" THICKNESS – 22 MM		
LENS :	PC GLASS		
LED CHIP :	POWER LED EDISON		
WARRANTY :	2 YEARS OF WARRANTY		
WATTAGE :	6 WATT / 18 WATT		
MOUNTING :	STAND MOUNTED SYSTEM		
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°		
WIRE :	POLY CAB (1 MTR WIRE)		
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN		
PROTECTION CLASS :	IP 68		
PRICE :	SINGLE COLOUR	RGB	
	6 WATT	1300	1480
	18 WATT	1650	2050




SPOT FOUNTAIN STAND LIGHT

MODEL NO.:	HF045	
BODY :	SS 304/316/ ALUMINIUM (FLATE BODY)	
DIMENSION :	DIA – 5” THICKNESS – 1”	
LENS :	PC GLASS	
LED CHIP :	POWER LED EDISON	
WARRANTY :	2 YEARS OF WARRANTY	
WATTAGE :	9 WATT / 27 WATT	
MOUNTING :	STAND MOUNTED SYSTEM	
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°,60°	
WIRE :	POLY CAB (1 MTR WIRE)	
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN	
PROTECTION CLASS :	IP 68	
PRICE :	SINGLE COLOUR	RGB
	9 WATT 1850	2050
	27 WATT 2250	2450



SPOT FOUNTAIN STAND LIGHT

MODEL NO.:	HF046	
BODY :	SS 304/316/ ALUMINIUM (FLATE BODY)	
DIMENSION :	DIA – 5” THICKNESS – 1”	
LENS :	PC GLASS	
LED CHIP :	POWER LED EDISON	
WARRANTY :	2 YEARS OF WARRANTY	
WATTAGE :	12 WATT / 36 WATT	
MOUNTING :	STAND MOUNTED SYSTEM	
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°	
WIRE :	POLY CAB (1 MTR WIRE)	
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN	
PROTECTION CLASS :	IP 68	
PRICE :	SINGLE COLOUR	RGB
	12 WATT	1900
	36 WATT	2450
		2300
		2750



SPOT FOUNTAIN STAND LIGHT

MODEL NO.:	HF047	
BODY :	SS 304/316/ ALUMINIUM (FLATE BODY)	
DIMENSION :	DIA – 6” THICKNESS – 1”	
LENS :	PC GLASS	
LED CHIP :	POWER LED EDISON	
WARRANTY :	2 YEARS OF WARRANTY	
WATTAGE :	18 WATT	
MOUNTING :	STAND MOUNTED SYSTEM	
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°,60°	
WIRE :	POLY CAB (1 MTR WIRE)	
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN	
PROTECTION CLASS :	IP 68	
PRICE :	SINGLE COLOUR	RGB
	18 WATT 2550	2750



SPOT FOUNTAIN STAND LIGHT

MODEL NO.:	HF048	
BODY :	SS 304/316	
DIMENSION :	BACK DIA - 60 MM OUTER DIA - 85 MM	
LENS :	PC GLASS	
LED CHIP :	CREE / EDISON	
WARRANTY :	2 YEARS OF WARRANTY	
WATTAGE :	3 WATT / 9 WATT	
MOUNTING :	STAND MOUNTED SYSTEM	
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°, 90°	
WIRE :	POLY CAB (1 MTR WIRE)	
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN	
PROTECTION CLASS :	IP 68	
PRICE :	SINGLE COLOUR	RGB
	3 WATT	1025
	9 WATT	1280
		1200
		1450



SPOT FOUNTAIN STAND LIGHT

MODEL NO.:	HF049	
BODY :	SS 304/316	
DIMENSION :	BACK DIA - 110 MM OUTER DIA - 140 MM	
LENS :	PC GLASS	
LED CHIP :	CREE / EDISON	
WARRANTY :	2 YEARS OF WARRANTY	
WATTAGE :	6 WATT / 18 WATT	
MOUNTING :	STAND MOUNTED SYSTEM	
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°, 90°	
WIRE :	POLY CAB (1 MTR WIRE)	
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN	
PROTECTION CLASS :	IP 68	
PRICE :	SINGLE COLOUR	RGB
	6 WATT	1770
	18 WATT	2220
		1950
		2450



SPOT FOUNTAIN STAND LIGHT

MODEL NO.:	HF050	
BODY :	SS 304/316	
DIMENSION :	BACK DIA - 110 MM OUTER DIA - 140 MM	
LENS :	PC GLASS	
LED CHIP :	CREE / EDISON	
WARRANTY :	2 YEARS OF WARRANTY	
WATTAGE :	9 WATT / 27 WATT	
MOUNTING :	STAND MOUNTED SYSTEM	
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°, 90°	
WIRE :	POLY CAB (1 MTR WIRE)	
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN	
PROTECTION CLASS :	IP 68	
PRICE :	SINGLE COLOUR	RGB
	9 WATT	2250
	27 WATT	2700
		2500
		2880



SPOT FOUNTAIN STAND LIGHT

MODEL NO.:	HF051	
BODY :	SS 304/316	
DIMENSION :	BACK DIA - 110 MM OUTER DIA - 140 MM	
LENS :	PC GLASS	
LED CHIP :	CREE / EDISON	
WARRANTY :	2 YEARS OF WARRANTY	
WATTAGE :	12 WATT / 36 WATT	
MOUNTING :	STAND MOUNTED SYSTEM	
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°, 90°	
WIRE :	POLY CAB (1 MTR WIRE)	
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN	
PROTECTION CLASS :	IP 68	
PRICE :	SINGLE COLOUR	RGB
	12 WATT	2450
	36 WATT	2780
		2650
		3050



NOZZLE FOUNTAIN LIGHT



MODEL NO.:	HF052		
BODY :	SS 304/316		
DIMENSION :	DIA - 4" THREAD – ½" THICKNESS – 32 MM		
LENS :	PC GLASS		
LED CHIP :	CREE / EDISON		
WARRANTY :	2 YEARS OF WARRANTY		
WATTAGE :	3 WATT / 9 WATT		
MOUNTING :	SURFACE MOUNTED SYSTEM / NOZZLE FIXED		
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°, 90°		
WIRE :	POLY CAB (1 MTR WIRE)		
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN		
PROTECTION CLASS :	IP 68		
PRICE :		SINGLE COLOUR	RGB
	3 WATT	1400	1550
	9 WATT	1780	1900

NOZZLE FOUNTAIN LIGHT



MODEL NO.:	HF053	
BODY :	SS 304/316	
DIMENSION :	DIA - 4" THREAD – ½" THICKNESS – 32 MM	
LENS :	PC COVER	
LED CHIP :	CREE / EDISON	
WARRANTY :	2 YEARS OF WARRANTY	
WATTAGE :	4 WATT / 12 WATT	
MOUNTING :	SURFACE MOUNTED SYSTEM / NOZZLE FIXED	
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°,60°, 90°	
WIRE :	POLY CAB (1 MTR WIRE)	
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN	
PROTECTION CLASS :	IP 68	
PRICE :	SINGLE COLOUR	RGB
	4 WATT	1580
	12 WATT	1850
		1985

NOZZLE FOUNTAIN LIGHT



MODEL NO.:	HF054		
BODY :	SS 304/316		
DIMENSION :	DIA - 4" THREAD – ½" THICKNESS – 32 MM		
LENS :	PC GLASS		
LED CHIP :	CREE / EDISON		
WARRANTY :	2 YEARS OF WARRANTY		
WATTAGE :	5 WATT / 15 WATT		
MOUNTING :	SURFACE MOUNTED SYSTEM / NOZZLE FIXED		
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°, 90°		
WIRE :	POLY CAB (1 MTR WIRE)		
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN		
PROTECTION CLASS :	IP 68		
PRICE :		SINGLE COLOUR	RGB
	5 WATT	1650	-
	15 WATT	2050	2150

NOZZLE FOUNTAIN LIGHT



MODEL NO.:	HF055		
BODY :	SS 304/316		
DIMENSION :	DIA - 5" THREAD – 1" THICKNESS – 32 MM		
LENS :	PC GLASS		
LED CHIP :	CREE / EDISON		
WARRANTY :	2 YEARS OF WARRANTY		
WATTAGE :	6 WATT / 18 WATT		
MOUNTING :	SURFACE MOUNTED SYSTEM / NOZZLE FIXED		
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°, 90°		
WIRE :	POLY CAB (1 MTR WIRE)		
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN		
PROTECTION CLASS :	IP 68		
PRICE :		SINGLE COLOUR	RGB
	6 WATT	1925	2000
	18 WATT	2350	2480

NOZZLE FOUNTAIN LIGHT



MODEL NO.:	HF056		
BODY :	SS 304/316		
DIMENSION :	DIA - 5" THREAD – 1" THICKNESS – 32 MM		
LENS :	PC GLASS		
LED CHIP :	CREE / EDISON		
WARRANTY :	2 YEARS OF WARRANTY		
WATTAGE :	9 WATT / 27 WATT		
MOUNTING :	SURFACE MOUNTED SYSTEM / NOZZLE FIXED		
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°, 90°		
WIRE :	POLY CAB (1 MTR WIRE)		
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN		
PROTECTION CLASS :	IP 68		
PRICE :		SINGLE COLOUR	RGB
	9 WATT	2150	2300
	27 WATT	2450	2680

NOZZLE FOUNTAIN LIGHT



MODEL NO.:	HF057		
BODY :	SS 304/316		
DIMENSION :	DIA - 6" THREAD – 1" THICKNESS – 32 MM		
LENS :	PC GLASS		
LED CHIP :	CREE / EDISON		
WARRANTY :	2 YEARS OF WARRANTY		
WATTAGE :	12 WATT / 36 WATT		
MOUNTING :	SURFACE MOUNTED SYSTEM / NOZZLE FIXED		
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°, 90°		
WIRE :	POLY CAB (1 MTR WIRE)		
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN		
PROTECTION CLASS :	IP 68		
PRICE :		SINGLE COLOUR	RGB
	12 WATT	2350	2580
	36 WATT	2680	2900

ADJUSTABLE NOZZLE FOUNTAIN LIGHT

MODEL NO.:	HF058		
BODY :	SS + ALUMINIUM		
DIMENSION :	OUTER – 5 INCH CENTER HOLE – 1.5" (ADJUSTABLE) LENGTH – 2 INCH		
LENS :	PC GLASS		
LED CHIP :	CREE / EDISON		
WARRANTY :	2 YEARS OF WARRANTY		
WATTAGE :	3 WATT / 9 WATT		
MOUNTING :	SURFACE MOUNTED SYSTEM / NOZZLE FIXED		
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°, 90°		
WIRE :	POLY CAB (1 MTR WIRE)		
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN		
PROTECTION CLASS :	IP 68		
PRICE :		SINGLE COLOUR	RGB
	3 WATT	1550	-
	9 WATT	1400	1800



ADJUSTABLE NOZZLE FOUNTAIN LIGHT

MODEL NO.:	HF059	
BODY :	SS + ALUMINIUM	
DIMENSION :	OUTER – 5 INCH CENTER HOLE – 1.5" (ADJUSTABLE) LENGTH – 2 INCH	
LENS :	PC GLASS	
LED CHIP :	CREE / EDISON	
WARRANTY :	2 YEARS OF WARRANTY	
WATTAGE :	6 WATT / 18 WATT	
MOUNTING :	SURFACE MOUNTED SYSTEM / NOZZLE FIXED	
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°, 90°	
WIRE :	POLY CAB (1 MTR WIRE)	
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN	
PROTECTION CLASS :	IP 68	
PRICE :	SINGLE COLOUR	RGB
	6 WATT	2050
	18 WATT	2250
		2350
		2450



ADJUSTABLE NOZZLE FOUNTAIN LIGHT

MODEL NO.:	HF060		
BODY :	SS + ALUMINIUM		
DIMENSION :	OUTER – 5 INCH CENTER HOLE – 1.5” (ADJUSTABLE) LENGTH – 2 INCH		
LENS :	PC GLASS		
LED CHIP :	CREE / EDISON		
WARRANTY :	2 YEARS OF WARRANTY		
WATTAGE :	9 WATT / 27 WATT		
MOUNTING :	SURFACE MOUNTED SYSTEM / NOZZLE FIXED		
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°,60°, 90°		
WIRE :	POLY CAB (1 MTR WIRE)		
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN		
PROTECTION CLASS :	IP 68		
PRICE :		SINGLE COLOUR	RGB
	9 WATT	2250	2350
	27 WATT	2400	2750



ADJUSTABLE NOZZLE FOUNTAIN LIGHT

MODEL NO.:	HF061		
BODY :	SS + ALUMINIUM		
DIMENSION :	OUTER – 160 MM CENTER HOLE– 1.5” (ADJUSTABLE) THICKNESS – 60 MM		
LENS :	PC GLASS		
LED CHIP :	CREE / EDISON		
WARRANTY :	2 YEARS OF WARRANTY		
WATTAGE :	12 WATT / 36 WATT		
MOUNTING :	SURFACE MOUNTED SYSTEM / NOZZLE FIXED		
BEAM ANGLE :	10°, 20°, 30°, 40°, 45°, 60°, 90°		
WIRE :	POLY CAB (1 MTR WIRE)		
COLOUR :	WW/CW/ RGB/RED/BLUE/GREEN		
PROTECTION CLASS :	IP 68		
PRICE :		SINGLE COLOUR	RGB
	12 WATT	2350	2500
	36 WATT	2600	3200



LED WALL WASHER LIGHT

CODE : HF062

AVAILABLE TILL 12 FT
IP RATING - IP 65/67

- 1 FT – 9 WATT SINGLE COLOUR = 1650
- 1 FT – 9 WATT RGB = 1800

- 2 FT – 18 WATT SINGLE COLOUR = 2450
- 2 FT – 18 WATT RGB = 2800

- 3 FT – 27 WATT SINGLE COLOUR = 3400
- 3 FT – 27 WATT RGB = 3900

- 4 FT – 36 WATT SINGLE COLOUR = 3750
- 4 FT – 36 WATT RGB = 4200



UMBRELLA NOZZLE / BELL NOZZLE

CODE : HF063



➤ 1" UMBRELLA NOZZLE = 2300

➤ ½" UMBRELLA NOZZLE = 1600

➤ ¾" UMBRELLA NOZZLE = 1350

FOAM NOZZLE



CODE : HF064

➤ 1" FOAM NOZZLE = 1800

➤ ½" FOAM NOZZLE = 1400

FINGER JET / MULTI JET NOZZLE



CODE : HF065

➤ 1" FINGER NOZZLE = 2250



LONG FOAM NOZZLE



CODE : HF066

➤ 1" FOAM NOZZLE = 1950

➤ 1/2" FOAM NOZZLE = 1750

➤ 3/4" FOAM NOZZLE = 1600

GEYSER JET NOZZLE



CODE: HF067

➤ **1" GEYSER NOZZLE = 1600**



➤ **½" GEYSER NOZZLE = 1300**

BALL JOINT NOZZLE



CODE : HF068

➤ 1" BALL JOINT = 600



BLACK FOAM NOZZLE WITH BALL JOINT



CODE : HF069

**➤ 1" FOAM NOZZLE WITH
BALL JOINT = 1400**

TULIP NOZZLE



CODE : HF070

➤ 1" TULIP NOZZLE = 2250



FAN JET NOZZLE

CODE : HF071

➤ 1" FAN JET NOZZLE = 2200



REVOLVING NOZZLE/ ROTATIONAL NOZZLE



CODE: HF072

➤ 1" REVOLVING NOZZLE = 4750



DIAMOND NOZZLE / FLOWER CLUSTER NOZZLE



CODE : HF073



➤ **1" FLOWER CLUSTER NOZZLE = 5500**

CROWN NOZZLE



CODE : HF074

➤ **1/8 CROWN NOZZLE = 95**

➤ **1/4 CROWN NOZZLE = 110**

➤ **3/8 CROWN NOZZLE = 200**


➤ **1/2 CROWN NOZZLE = 150**

FLOWER NOZZLE




CODE : HF075

1" FLOWER NOZZLE = 5500




WATER BLADE NOZZLE

CODE : HF076




- 1 FT = 2500
- 2 FT = 5000
- 3 FT = 7500
- 4 FT = 10000
- 5 FT = 12500
- 6 FT = 15000
- 7 FT = 17500
- 8 FT = 20000

STEP WATER BLADE NOZZLE



CODE : HF077

- **1 FT = 4000**
- **2 FT = 8000**
- **3 FT = 12000**
- **4 FT = 16000**
- **5 FT = 20000**
- **6 FT = 24000**
- **7 FT = 28000**
- **8FT = 32000**



COBRA NOZZLE



CODE : HF078

➤ 2 FT HEIGHT 1 FT MOUTH = 18000

➤ 3 FT HEIGHT 1 FT MOUTH = 24000



DOLPHIN NOZZLE

CODE : HF079



➤ **2 FT DOLPHIN MODEL = 21000**

ACRYLIC COBRA NOZZLE




CODE : HF080



- 2 FT (SQUARE) ACRYLIC COBRA NOZZLE = 21000
- 2 FT (CURVE) ACRYLIC COBRA NOZZLE = 21500

ACRYLIC BLADE NOZZLE

CODE : HF081



- 1 FT = 8500
- 2 FT = 11000
- 3 FT = 14000
- 4 FT = 16500